


IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product	AC-DC Converter
Name and address of the applicant	MORNSUN GUANGZHOU SCIENCE & TECHNOLOGY LTD 5 Kehui St 1 Kehui Development Center Science Ave, Guangzhou Science City Luogang District Guangzhou Guangdong 510000 China.
Name and address of the manufacturer	MORNSUN GUANGZHOU SCIENCE & TECHNOLOGY LTD 5 Kehui St 1 Kehui Development Center Science Ave, Guangzhou Science City Luogang District Guangzhou Guangdong 510000 China.
Name and address of the factory <i>Note: When more than one factory, please report on page 2</i>	Mornsun Guangzhou Science & Technology Ltd. No.8 Nanyun Road 4, Guangzhou Science Park, Guangzhou 510663, China <input type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	Input: 100-277Vac, 50-60Hz, 0.11A; Output: See test report for details.
Trademark (if any)	
Type of Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	LDE02-23Bxx* See Page 2
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	ES181115033S issued on 2019-01-09

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-01-10

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-79891-UL

Model Details:

LDE02-23Bxx*

(Variable * can be blank, A2S and A4S. If * is blank, it means standard module. If * is A2S, it means chassis mounting. If * is A4S, it means DIN-Rail mounting. Variable xx can be 03, 05, 09, 12, 15 and 24, indicate output voltage, eg: 03=3.3Vdc, 24=24.0Vdc.)

Additional Information:

Additionally evaluated to EN 62368-1:2014/A11:2017

National Differences specified in the CB Test Report.

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbnames

Date: 2019-01-10

Signature:

Jan-Erik Storgaard